

NPS 68-86-003

# NAVAL POSTGRADUATE SCHOOL

Monterey, California





HYDROGRAPHIC DATA FROM THE OPTOMA PROGRAM
OPTOMA19
8 - 13 February 1986

by

Paul A. Wittmann Christopher N.K. Mooers

Hay 1986

Approved for public release; distribution unlimited.

Prepared for: Office of Naval Research Environmental Sciences Directorate (Code 1122) Arlington, VA 22217

86

# NAVAL POSTGRADUATE SCHOOL Monterey, California 93943

RADM R.H. Shumaker Superintendent David A. Schrady Provost

This report is for the research project "Ocean Prediction Through Observation, Modeling and Analysis" sponsored by the Physical Oceanography Program of the Office of Naval Research under Program Element 61153N. Reproduction of all or part of this report is authorized.

This report was prepared by:

Paul A. Wittmann (by

PAUL A. WITTMANN Oceanographer CHRISTOPHER N.K. MODERS
Professor and Chairman,
Department of Oceanography

Reviewed by:

Released by:

CHRISTOPHER N.K. MODERS, Chairman

Department of Oceanography

Dean of Science and Engineering

SEC. AND CLASSIFICATION OF THIS PAGE	REPORT DOCU	MENTATION	PAGE	1697	20
TA REFORT SECURITY CLASSIFICATION Unclassified		16 RESTRICTIVE	MARKINGS		<del></del>
24 SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION	AVAILABILITY OF	REPORT	
2. DECLASSIFICATION / DOWNGRADING SCHED	ULE		for public ion unlimit		
1 PERFORMING ORGANIZATION REPORT NUMB NPS 68-86-003	ER(S)	5 MONITORING	ORGANIZATION RI	EPORT NUMBER(S	)
62 NAME OF PERFORMING ORGANIZATION NAVPGSCOL	6b OFFICE SYMBOL (If applicable)	78 NAME OF MO	ONITORING ORGA	NIZATION	
Dept. of Oceanography  6c ADDRESS (City, State, and ZIP Code)	68	7h ADDRESS (Con	y, State, and ZIP (	(ode)	
Monterey, California 93943-50	003				
8a NAME OF FUNDING, SPONSORING ORGANIZATION	8b OFFICE SYMBOL (If applicable)	9 PROCUREMENT	INSTRUMENT ID	ENTIFICATION NU	MBER
Office of Naval Research	(1122 PO)	N000146HR2			
BC ADDRESS (City, State, and ZIP Code)		10 SOURCE OF F	UNDING NUMBER	S TASK	WORK UNIT
Arlington, VA 22217		ELEMENT NO	RR0310306	NO.	ACCESSION NO
ii file include Security Classification) Hydrographic Data from the OPI Approved for public release; o			February, 19	986;	
Paul A. Wittmann, Christopher	N.K. Mooers				_
13a TYPE OF REPORT 13b TIME (		14 DATE OF REPO 86, May		Day) 15 PAGE 40	
16 SUPPLEMENTARY NOTATION					
12 COSATI CODES	18 SUBJECT TERMS (	Continue on reverse	if necessary and	l identify by bloc	k number)
FELD GROUP SUB-GROUP	4				
					<u></u>
The cruise OPTOMA19 was u a subdomain of the California data from the cruise.	indertaken from t	he period 8	to 13 Februa presents th	ary 1986 to ne hydrograf	sample phic
<b>&gt;</b>					
20 O STRIBUT ON A A ALABILITY OF ABSTRACT  \$\infty \text{V} \text{UNC:ASS FIED/UNL/MITED } \Box \text{SAME AS}	RPT DTIC USERS	21 ABSTRACT SEC UNCLASSI	CURITY CLASSIFIC FIED	ATION	
Paul A. Wittmann		226 TELEPHONE (1 (408) 641		) 22c OFFICE SY 68	MBOL
DD FORM 1472 941469 834	PR edition may be used up	tileshausted			

## Hydrographic Data from the OPTOMA Program:

OPTOMA19 8 - 13 February, 1986

bу

Paul A. Wittmann Christopher N. K. Mooers

> Chief Scientist: Gordon W. Groves



Access	ion For	
NC 3	GFA&I	Ø
DITC T	AB	
Unanne		
Justif	dention.	
i		
Ву		
Distr	(hution/	
Avai	Lability	Codes
	Avail ar	nd/or
Dist	Specia	al
1 1		
111	}	
MI	1	
1_L		

The **OPTOMA** Program is a joint program of

Department of Oceanography Naval Postgraduate School Monterey, CA 93943.

Center for Earth and Planetary Physics Harvard University Cambridge, MA 02138.

## TABLE OF CONTENTS

	PAGE
LIST OF TABLES	3
LIST OF FIGURES	4
INTRODUCTION	6
DATA ACQUISITION	6
DATA PROCESSING	7
DATA PRESENTATION	7
ACKNOWLEDGEMENTS	32
REFERENCE	32
INITIAL DISTRIBUTION LIST	33

## LIST OF TABLES

Table No.	Caption	Page
1.	Scientific instruments aboard USNS DE STEIGUER	9
2.	Station Listing	13

## LIST OF FIGURES

Figure	No.	Caption	Page
1.		The NOCAL and CENCAL subdomains of the OPTOMA Program. Isobaths are shown in meters.	5
2.		Cruise track for OPTOMA19 with transect extremes identified by letter.	10
3.		XBT and CTD locations for OPTOMA19.	11
4.		Station numbers for OPTOMA19.	12
5.	(a)-(f)	Staggered temperature profiles from the XBT's. Profiles are staggered by a multiple of 5C (OPTOMA19).	16
6.	(a)-(b)	CTD temperature profiles, staggered by multiples of 5C, and salinity profiles staggered by multiples of 4 ppt (OPTOMA19).	22
7.	(a)-(c)	Isotherms from XBT's and CTD's. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. (OPTOMA19).	24
8.		Isopleths of (1) temperature and salinity and (2) sigma-t from the CTD's. (OPTOMA19).	27
9.		Profiles of $\overline{T(z)}$ with + and - the standard deviation from (a) XBT's and (b) CTD's. (OPTOMA19).	28
10.		Profiles of (a) mean salinity and (b) mean sigma-t, with + and - the standard deviations, from the CTD's (OPTOMA19).	29
11.		(a) T-S pairs and (b) mean T-S relationship with + and - the standard deviation, and selected sigma-t contours, from the CTD casts (OPTOMA19).	30
12.		Profile of $\overline{N^2(z)}$ (——), with + and - the standard deviation (), and the profile of $\overline{N^2}$ from $\overline{T(z)}$ and $\overline{S(z)}$ (···) (OPTOMA19).	31




Figure 1: The NOCAL and CENCAL subdomains of the OPTOMA Program. Isobaths are shown in meters.

#### INTRODUCTION

electromagnetic recognition of the contract of the contract of

The OPTOMA (Ocean Prediction Through Observation, Modeling and Analysis) Program, a joint NPS/Harvard program sponsored by ONR, seeks to understand the mesoscale (fronts, eddies, and jets) variability and dynamics of the California Current System and to determine the scientific limits to practical mesoscale ocean forecasting. To help carry out the aims of this project, a series of cruises has been planned in two subdomains, NOCAL and CENCAL, shown in Figure 1.

The cruise OPTOMA19 was undertaken, in the USNS DE STEIGUER, in February.

1986 and covered a domain 240 km square centered 190 km off the coast from Pt.

Arena.

Hydrographic data were acquired during the period 8 to 13 February. The cruise track consisted of alongshore transects, shown in Figure 2. Transect extremes are identified by letter to aid in cross-referencing the data presented in subsequent figures. Hydrographic stations were occupied at approximately 19km along the track.

#### DATA ACQUISITION

Data acquired during OPTOMA19 include XBT and CTD profiles. Wind velocity, air temperature, dew point, and 2 meter thermalsalinograph measurements were recorded every 2 minutes using a Serial ASCII Interface Loop (SAIL) data acquisition system. CTD data were digitized using a Neil Brown MK3 unit and the XBT data were digitized using a Sippican MK9 unit. All data were recorded on data disks using HP200 series computers, and transferred ashore to the IBM 3033 mainframe computer at the Naval Postgraduate School for editing and processing.

Station positions were determined by Loran C fixes and are claimed to be accurate to within about 0.1km. A NAVOCEANO Neil Brown CTD was used on the cruises. Table 1 on page 6 summarizes the various sensors used on the USNS DE STEIGUER and their accuracy.

#### DATA PROCESSING

The data processing, such as estimating depth profiles for the XBT temperature profiles based on descent speed, and conversion of CTD conductivity to salinity using the algorithm given in Lewis and Perkin (1981), was carried out on the IBM 3033. The data were then edited by removing obvious salinity spikes and eliminating cast failures that were not identified during the cruise. Approximately 97% of casts were retained. The CTD data were interpolated to 5m intervals. The data have been transferred on digital tape to the National Oceanographic Data Center in Washington, DC.

#### DATA PRESENTATION

The cruise track, station locations (with XBT's and CTD's identified) and station numbers are shown in Figures 2, 3, and 4, respectively. These figures are followed by a listing of the stations, with their coordinates, the date and time at which the station was occupied, and the surface information obtained at the station.

Vertical profiles of temperature from the XBT casts are shown in staggered fashion in Figure 5. The location of these profiles may be found by reference to the various maps of the cruise track. Transect extremes are identified as nearly as possible. The first profile on each plot is shown with its temperature unchanged; to each subsequent profile an appropriate multiple of 5C has been added. Vertical profiles from the CTD's follow. Profiles of temperature are staggered by 5C and those of salinity by 4 ppt.

Isotherms for each transect are shown in the next pages, followed by isopleths of temperature, salinity and sigma-t from the CTD's. Based on instrument accuracy and the vertical temperature gradient, it is estimated that depths of isotherms in the main thermocline are uncertain to  $\pm 20$ m. The tick marks identify station positions and, again, the transect extremes are shown in these plots.

Mean profiles of temperature from the XBT's and temperature, salinity and sigma-t from the CTD's are given in Figures 9 and 10, followed by a scatter diagram of the T-S pairs and the mean S(T) curve with the  $\pm$  standard deviation envelope. The data presentation concludes with a plot of the mean N<sup>2</sup> (Brunt-Vaisala frequency squared) profile with  $\pm$  the standard deviation. On the sigma-t and N<sup>2</sup> plots, the appropriate profiles derived from the mean temperature and mean salinity profiles are also shown.

Table 1: Scientific instruments aboard the USNS DE STEIGUER

Instrument	Variable	Sensor	Accuracy	Resolution
Neil Brown CTD Mark IIIb	pressure temperature conductivity	strain gauge thermistor electrode cell	1.6 db 0.005 C 0.005 mmbo	0.025 db 0.0005 C 0.001mmbo
Sippican MK9 XBT	temperature depth	thermistor descent speed	0.2C greater of 4.6 m and 2% of depth	
Sea-Bird Sensors	temperature conductivity at 2 meters	thermistor electrode cell	0.003 C 0.003 mmho	0.0005 C 0.0005 mmho
General Eastern Temperature Sensors	air temperature dew point temperature	thermometer condensation temp. sensor	0.01C 0.2C	
R.M. Young Wind Sensors	wind speed wind direction	anemometer vane	0.15mph 2.5 degrees	
Internav LC 408 LORAN C	position	two chain LORAN receiver	100 meters	10 meters




Figure 2: Cruise track for OPTOMA19 with transect extremes identified by letter.




Figure 3: XBT and CTD locations for OPTOMA19.

CONTROL INDOVERSAL MARKETS TRANSPORT MARKET




Figure 4: Station numbers for OPTOMA19.

by a section which

Description (Parameter Parameter Income

Table 2: Station Listing

	Sugar(ve)	ndreinenenen			NO. IND. EMBRESSING		ng nating nations
		Tab	le 2	: Stati	on Listi	ing	
STN  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	TYPE	YR/DAY	GMT	LAT (NORTH)	LONG (WEST)	SURFACE TEMP	SURFACE SALINITY
-		24222	2222	,	`	)(DEG C)	(PPT)
1 2	XBT	86039 86039	2000	37.40 37.45	122.56 123.12	12.7 13.0	
3 4	XBT XBT	8603 <b>9</b> 86040	2326	37.48 37.55	123.30 123.37	13.4 13.4	
5 6	XBT XBT	86040	125 216	38.03 38.11	123.44 123.51	13.2 13.1	
7	XBT	86040 86040	311	38.19	123.58	12.6	
8	CTD XBT	86040 86040	424 547	38.28 38.35	123.58 124.05	12.5 12.1	33.10
10	XBT	86040	651	38.43	124.11	11.8	
11 12	XBT CTD	86040 86040	736 854	38.51 38.59	124.17 124.22	11.9 11.7	32.75
13 14	XBT	86040	1028	39.07 39.16	124.28	11.9 11.8	
15	XBT XBT	86040 86040	1143 1208	39.23	124.35 124.41	12.1	
16 17	XBT CTD	86040 86040	1307 1417	39.31 39.38	124.47 124.53	11.6 12.1	33.20
18	XBT	86040	1537	39.34	125.03	12.0	
13	CTD XBT	86040 86040	1751 1933	39.29 39.24	125.13 125.24	11.8 12.6	32.63
20 21 22 22	CTD	86040	2115	39.19	125.34	12.6 13.1	32.70
23	XBT XBT	86040 86040	2225 2314	39.12 39.04	125.29 125.23	12.9	
24 25	XBT XBT	86041 86041	3 51	38.56 38.48	125.17 125.12	12.9 12.7	
<b>?</b> . 26	CTD	86041	217	38.38	125.05	11.9	32.64
27 28	XBT XBT	86041 86041	328 418	38.32 38.24	124.57 124.51	12.9 12.8	
29 30		86041 86041	509 617	38.16 38.09	124.44 124.39	12.5 12.4	33.09
31	XBT	86041	743	38.00	124.33	12.8	33.07
32 2 33	XBT XBT	86041 86041	828 922	37.52 37.42	124.27 124.20	13.2 13.0	
34	XBT	86041	1009	37.36	124.16	13.1	20.00
32 33 34 35 36 37 38 39 40 41		86041 86041	1139 1300	37.26 37.22	124.09 124.19	13.0 13.3	32.88
37 38		86041 86041	1445 1628	37.19 37.14	124.29 124.39	13.0 13.4	32.91
39	XBT	86041	1730	37.09	124.50	13.2	
40 41		86041 86041	1824 1915	37.17 37.26	124.56 125.02	12.2 12.3	
42	XBT	86041	2005	37.33	125.08	12.3	
43		86041 86041	2059 2153	37.41 37.49	125.14 125.20	12.3 12.3	
45		86041	2247	37.57	125.26	12.7	
£							
<del>v</del>					1	3	
	cece	111					


```
LONG
STN TYPE
           YR/DAY
                     GMT
                            LAT
                                            SURFACE SURFACE
                          (NORTH)
                                    (WEST)
                                             TEMP
                                                     SALINITY
                           DD.MM
                                    DDD.MM (DEG C)
                                                       (PPT)
                    2341
                           38.05
 46
     XBT
           86041
                                    125.32
                                             12.6
      XBT
           86042
                      32
                           38.13
                                    125.37
 47
                                             12.6
                     124
 48
      XBT
            86042
                           38.21
                                    125.43
                                             12.3
 49
     XBT
           86042
                     221
                           38.29
                                    125.49
                                             12.6
 50
                     312
                           38.37
                                    125.55
                                             12.8
     XBT
           86042
                           38.45
                                    126.01
 51
      XBT
           86042
                     403
                                             12.5
                           38.53
 52
     XBT
           86042
                     456
                                    126.08
                                             12.6
 53
     XBT
           86042
                     545
                           39.01
                                    126.13
                                             11.8
 54
                                    126.24
                           38.56
      XBT
           86042
                     640
                                             11.9
 55
      CTD
           86042
                     846
                           38.51
                                    126.34
                                             11.3
                                                     32.68
                    1040
 56
     XBT
           86042
                           38.46
                                    126.45
                                             11.7
                                    126.54
 57
      XBT
           86042
                    1127
                           38.42
                                             11.6
                           38.35
 58
     XBT
           86042
                    1218
                                    126.48
                                             11.7
 59
     XBT
           86042
                    1310
                           38.26
                                    126.42
                                             11.7
 60
     XBT
           86042
                    1408
                           38.19
                                   126.35
                                             12.8
 61
      XBT
           86042
                    1503
                           38.11
                                    126.28
                                             13.0
 62
     XBT
           86042
                    1555
                           38.03
                                    126.22
                                             13.3
                    1656
 63
     XBT
           86042
                           37.55
                                    126.15
                                             13.0
                    1756
                           37.46
                                    126.10
 64
      XBT
           86042
                                             13.4
                           37.38
 65
     XBT
           86042
                    1845
                                    126.05
                                             13.4
 66
     XBT
           86042
                    1944
                           37.31
                                    125.59
                                             13.4
 67
     XBT
           86042
                    2038
                           37.22
                                    125.53
                                             13.0
 68
     XBT
           86042
                    2136
                           37.14
                                    125.48
                                             13.5
 69
     XBT
           86042
                    2237
                           37.06
                                    125.42
                                             13.0
                                             12.5
 70
     XBT
           86042
                    2344
                           36.58
                                    125.36
                                   125.30
125.39
                           36.50
 71
     XBT
           86043
                     125
                                             12.7
 72
     XBT
           86043
                     241
                           36.45
                                             12.8
 73
     XBT
           86043
                     426
                           36.41
                                    125.49
                                             13.0
 74
     XBT
           86043
                     624
                           36.51
                                    125.56
                                             13.4
 75
     XBT
           86043
                     756
                           36.59
                                    126.01
                                             13.4
 76
     XBT
           86043
                     954
                           37.08
                                    126.07
                                             14.0
 77
      XBT
           86043
                    1138
                           37.15
                                    126.13
                                             14.0
                           37.21
                                    126.19
 78
      XBT
           86043
                    1312
                                             13.3
                           37.29
                                   126.25
 79
     XBT
           86043
                    1448
                                             13.7
 80
     XBT
           86043
                    1629
                           37.37
                                    126.32
                                             13.5
 81
      XBT
           86043
                    1812
                           37.46
                                    126.38
                                             13.6
 82
      XBT
           86043
                    1932
                           37.46
                                    126.27
                                             13.7
 83
     XBT
           86043
                    2056
                           37.46
                                    126.16
                                             13.1
 84
      XBT
           86043
                    2219
                           37.46
                                    126.04
                                             13.0
                           37.45
 85
      XBT
           86043
                    2339
                                    125.53
                                             13.5
                           37.44
 86
     XBT
           86044
                      59
                                    125.41
                                             12.6
 87
      XBT
           86044
                     214
                           37.43
                                    125.30
                                             12.6
                           37.41
 88
      XBT
            86044
                     327
                                   125.19
                                             12.5
                           37.39
 89
      XBT
            86044
                     553
                                    124.55
                                             12.3
 90
      XBT
            86044
                     701
                           37.38
                                    124.44
                                             12.5
```


cord exercises environment conductions

STN	TYPE	YR/DAY	GMT	LAT (NORTH) DD.MM	LONG (WEST) DDD.MM	TEMP	SURFACE SALINITY (PPT)
91	XBT	86044	810	37.38	124.33	13.1	
92	XBT	86044	914	37.37	124.21	13.1	
93	XBT	86044	1020	37.36	124.09	13.4	
94	XBT	86044	1137	37.35	124.02	13.1	
95	XBT	86044	1243	37.35	123.48	12.9	
96	XBT	86044	1353	37.34	123.38	12.8	
97	XBT	86044	1502	37.34	123.26	13.1	
98	XBT	86044	1615	37.34	123.15	13.0	
99	XBT	86044	1740	37.35	123.03	13.1	

town recesses execute revenues account about the

Linear Discouraged Bearings of Indianaes. Appropriate Islands





BANGERIC BASSASSA VARIORIA

RESISSION CONSIDERAL PROPERTY SESSIONS

Figure 5(b)








Figure 5









PROPERTY ASSESSED. CHARGOST





Figure 6(a): CTD temperature profiles, staggered by multiples of 5C, and salinity profiles staggered by multiples of 4 ppt (OPTOMA19).







Figure 6(b)



THE REPORT OF THE PROPERTY OF







Figure 7(a): Isotherms from XBT's and CTD's. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. (OPTOMA19).






responde appropriate additional engagests appayable beneficial bediction filescolosis

Figure 7(b)




SUSSET TONISTAN PROGRAMME PROGRAMME SUSSESSION PROGRAMME PROGRAMME THE PROGRAMME TONISTANCE PROGRAMME THE PROGRAMME TONISTANCE PROGRAMME TO THE PROGRAMME.



consists encoured authorized periodicises valuablished

Accessor occurrences accessors acces

Figure 8: Isopleths of (1) temperature and salinity and (2) sigma-t from the CTD's. (OPTOMA19).



reserve increases accesses accompany sometimes accompany

Figure 9: Profiles of  $\overline{I(z)}$  with + and - the standard deviation from (a) XBI's and (b) CTD's. (OPTOMA19).





Figure 10: Profiles of (a) mean salinity and (b) mean sigma-t, with + and - the standard deviations, from the CTD's (OPTOMA19).



CODE RECESSE DODDESSE TODDESCE COLORES CONTROL

30




Figure 12: Profile of  $N^2(z)$  (----), with + and - the standard deviation (---), and the profile of  $N^2$  from  $\overline{T(z)}$  and  $\overline{S}(z)$  (...) (OPTOMA19).

#### **ACKNOWLEDGEMENTS**

This research was sponsored by the ONR Physical Oceanography Program.

The success of the fieldwork was strongly dependent on the competent, willing support of the Captain and crew of the USNS DE STEIGUER. Members of the scientific cruise party were:

Dr. Gordon Groves, Chief Scientist, NPS Mr. Jim Stockel, Watch Chief, NPS Mr. Don Martens, Watch Chief, NPS Mr. Paul Wittmann, Watch Chief, NPS Ms. Genine Scelfo, UCSC DP3 Girard Gude, FNOC

#### REFERENCE

Lewis, E.L. and R.G. Perkin, 1981: The Practical Salinity Scale 1978: conversion of existing data. Deep Sea Res. 28A, 307-328.

BEEL BECKESSES SESSESSES BELLESEEN BESKESSES VERKEREN BESKESSES BEFELDER BESKESEN BESKESSEN BESKESSEN

## INITIAL DISTRIBUTION LIST

1.	Naval Postgraduate School Department of Oceanography Monterey, CA 93943	
	Prof. Christopher N.K. Mooers Dr. Michele M. Rienecker Mr. Paul A. Wittmann Dr. Mary L. Batteen Dr. Laurence C. Breaker LCDR J. Edward Johnson, USN Prof. Kenneth L. Davidson Dr. Roland W. Garwood Prof. Robert L. Haney Prof. Robert D. Renard Dr. David C. Smith, IV Dr. Gordon Groves LT John J. Rendine, USN	33 1 1 1 1 1 1 1 1 1 1
2.	Harvard University Division of Applied Sciences Pierce Hall, Room 100D Cambridge, MA 02138	
	Prof. Allan R. Robinson Mr. Leonard J. Walstad Mr. Wayne G. Leslie Prof. Myron B. Fiering	1 1 1 1
3.	Office of Naval Research (ONR) 800 N. Quincy St. Arlington, VA 22217	
	Dr. Thomas W. Spence Dr. Thomas B. Curtin Dr. Dennis Conlon	1 1 1
4.	College of Oceanography Oregon State University Corvallis, OR 97331	
	Prof. Robert L. Smith Dr. Adriana Huyer	1 1

5.	Jet Propulsion Laboratory (JPL) California Institute of Tech. 4800 Oak Grove Road Pasadena, CA 91109	
	Dr. Mark Abbott (also at Scripps)	1
6.	Commanding Officer Fleet Numerical Oceanography Center (FNOC) Monterey, CA 93943	
	Mr. R. Michael Clancy Mr. Ken Pollak Ms. Evelyn Hesse	1 1 1
7.	Sandia National Laboratories Div. 6334 Albuquerque, NM 97185	
	Dr. Mel Marietta Dr. Eugene S. Hertel Dr. Stuart L. Kupferman	1 1 1
8.	Marine Products Branch, W/NMC21 National Meteorological Center National Weather Service, NOAA Washington, D.C. 20233	
	LCDR Craig S. Nelson, NOAA Corps	1
9.	National Center for Atmospheric Research (NCAR) P.O. Box 3000 Boulder, CO 80307	
	Dr. Dale B. Haidvogel	1
10.	Scripps Institution of Oceanography University of California, San Diego La Jolla, CA 92093	
	Prof. Russ E. Davis Dr. Jerome A. Smith Mr. Phillip Bogden	1 1 1
11.	Princeton University Geophysical Fluid Dynamics Program P.O. Box 308 Princeton, NJ 08540	
	Prof. George L. Mellor	1

12.	Woods Hole Oceanographic Institution Department of Physical Oceanography Woods Hole, MA 02543	
	Dr. John A. Spiesberger Dr. Kenneth H. Brink Dr. Robert C. Beardsley	1 1 1
13.	Naval Ocean Research and Development Activity (NORDA) NSTL Station Bay St. Louis, MS 39525	
	Dr. Steve A. Piacsek Dr. Dana A. Thompson Dr. Harley C. Hurlburt Dr. Alexander Warn-Varnas	1 1 1
14.	Department of Oceanography University of Hawaii 2525 Correa Road Honolulu, HI 96822	
	Prof. Lorenz Magaard	1
15.	Ocean Circulation Division Atlantic Oceanography Laboratory Bedford Institute of Oceanography Dartmouth, N.S. Box 1006 CANADA B2Y 4A2	
	Dr. Motoyoshi Ikeda	1
16.	Precision Marine Meteorologic Nationale 2 Ave. RAPP 75340 Paris CEDEX 07 France	
	Dr. Jacques Saurel	1
17.	Div. of Oceanography RSMAS University of Miami 4600 Rickenbacker Causeway Miami, FL 33149	
	Dr. Otis Brown	1
18.	Applied Physics Laboratory University of Washington 1013 NE 40th Str. Seattle, WA 98105	
	Dr. Thomas B. Sanford	1

Geren properties secretaris essentials essenties. Essentials

19. School of Oceanography University of Washington Seattle, WA 98195  Dr. Steven C. Riser  20. California Space Institute MS-A021 Scripps Institution of Oceanography La Jolla, CA 92093  Dr. Robert L. Bernstein  21. Marine Sciences Research Center State University of New York Stony Brook, NY 11794  Dr. Dong-Ping Wang  22. Applied Physics Laboratory Johns Hopkins University Laurel, MD 20707  Dr. Jack Calman  23. Pacific Marine Environmental Lab NOAA Bldg, 3 7600-Sand Point Way, NE Seattle, WA 98115  Mr. James R. Holbrook  24. Naval Environmental Prediction Research Facility (NEPRF) Ms. Marie Colton  25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter  26. Dept. of Meteorology University of Meryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371  Dr. Burton H. Jones			
20. California Space Institute MS-A021 Scripps Institution of Oceanography La Jolla, CA 92093 Dr. Robert L. Bernstein 21. Marine Sciences Research Center State University of New York Stony Brook, NY 11794 Dr. Dong-Ping Wang 22. Applied Physics Laboratory Johns Hopkins University Laurel, MD 20707 Dr. Jack Calman 23. Pacific Marine Environmental Lab NOAA Bldg, 3 7600-Sand Point Way, NE Seattle, WA 98115 Mr. James R. Holbrook 24. Naval Environmental Prediction Research Facility (NEPRF) Ms. Marie Colton 25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881 Dr. Everett F. Carter 26. Dept. of Meteorology University of Maryland College Park, MD 20792 Dr. James A. Carton 27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371	19.	University of Washington	
MS-A021 Scripps Institution of Oceanography La Jolla, CA 92093  Dr. Robert L. Bernstein  21. Marine Sciences Research Center State University of New York Stony Brook, NY 11794  Dr. Dong-Ping Wang  22. Applied Physics Laboratory Johns Hopkins University Laurel, ND 20707  Dr. Jack Calman  23. Pacific Marine Environmental Lab NOAA Bldg, 3 7600-Sand Point Way, NE Seattle, WA 98115  Mr. James R. Holbrook  24. Naval Environmental Prediction Research Facility (NEPRF)  Ms. Marie Colton  25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter  26. Dept. of Meteorology University of Maryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371		Dr. Steven C. Riser	1
21. Marine Sciences Research Center State University of New York Stony Brook, NY 11794  Dr. Dong-Ping Wang  22. Applied Physics Laboratory Johns Hopkins University Laurel, MD 20707  Dr. Jack Calman  23. Pacific Marine Environmental Lab NOAA Bldg, 3 7600-Sand Point Way, NE Seattle, WA 98115  Mr. James R. Holbrook  24. Naval Environmental Prediction Research Facility (NEPRF)  Ms. Marie Colton  25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter  26. Dept. of Meteorology University of Maryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371	20.	MS-A021 Scripps Institution of Oceanography	
State University of New York Stony Brook, NY 11794  Dr. Dong-Ping Wang  22. Applied Physics Laboratory Johns Hopkins University Laurel, MD 20707  Dr. Jack Calman  23. Pacific Marine Environmental Lab NOAA  Bldg, 3 7600-Sand Point Way, NE Seattle, WA 98115  Mr. James R. Holbrook  24. Naval Environmental Prediction Research Facility (NEPRF)  Ms. Marie Colton  25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter  26. Dept. of Meteorology University of Maryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371		Dr. Robert L. Bernstein	1
22. Applied Physics Laboratory Johns Hopkins University Laurel, MD 20707  Dr. Jack Calman  23. Pacific Marine Environmental Lab NOAA Bldg. 3 7600-Sand Point Way, NE Seattle, WA 98115  Mr. James R. Holbrook  24. Naval Environmental Prediction Research Facility (NEPRF)  Ms. Marie Colton  25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter  26. Dept. of Meteorology University of Maryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371	21.	State University of New York	
Johns Hopkins University Laurel, MD 20707  Dr. Jack Calman  23. Pacific Marine Environmental Lab NOAA Bldg. 3 7600-Sand Point Way, NE Seattle, WA 98115  Mr. James R. Holbrook  24. Naval Environmental Prediction Research Facility (NEPRF)  Ms. Marie Colton  25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter  26. Dept. of Meteorology University of Maryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371		Dr. Dong-Ping Wang	1
23. Pacific Marine Environmental Lab NOAA Bldg. 3 7600-Sand Point Way, NE Seattle, WA 98115 Mr. James R. Holbrook  24. Naval Environmental Prediction Research Facility (NEPRF) Ms. Marie Colton  25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881 Dr. Everett F. Carter  26. Dept. of Meteorology University of Maryland College Park, MD 20792 Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371	22.	Johns Hopkins University	
NOAA Bldg. 3 7600-Sand Point Way, NE Seattle, WA 98115  Mr. James R. Holbrook  24. Naval Environmental Prediction Research Facility (NEPRF)  Ms. Marie Colton  25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter  26. Dept. of Meteorology University of Maryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371		Dr. Jack Calman	1
<ul> <li>24. Naval Environmental Prediction Research Facility (NEPRF)  Ms. Marie Colton</li> <li>25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter</li> <li>26. Dept. of Meteorology University of Maryland College Park, MD 20792  Dr. James A. Carton</li> <li>27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371</li> </ul>	23.	NOAA Bldg. 3 7600-Sand Point Way, NE	
Research Facility (NEPRF)  Ms. Marie Colton  25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter  26. Dept. of Meteorology University of Maryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371		Mr. James R. Holbrook	1
<ul> <li>25. Graduate School of Oceanography University of Rhode Island Kingston, RI 02881</li> <li>Dr. Everett F. Carter</li> <li>26. Dept. of Meteorology University of Maryland College Park, MD 20792</li> <li>Dr. James A. Carton</li> <li>27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371</li> </ul>	24.		
University of Rhode Island Kingston, RI 02881  Dr. Everett F. Carter  26. Dept. of Meteorology University of Maryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371		Ms. Marie Colton	1
<ul> <li>Dept. of Meteorology University of Maryland College Park, MD 20792</li> <li>Dr. James A. Carton</li> <li>Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371</li> </ul>	25.	University of Rhode Island	1
University of Maryland College Park, MD 20792  Dr. James A. Carton  27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371		Dr. Everett F. Carter	1
27. Allan Hancock Foundation University of Southern California Los Angeles, CA 90089-0371	26.	University of Maryland	1
University of Southern California Los Angeles, CA 90089-0371		Dr. James A. Carton	
Dr. Burton H. Jones	27.	University of Southern California	
		Dr. Burton H. Jones	1

28.	Defense Technical Information Center Cameron Station Alexandria, VA 22314	2
29.	Dudley Knox Library Code 0142 Naval Postgraduate School Monterey, CA 93943	2
30.	Research Administration (Code 012) Naval Postgraduate School Monterey, CA 93943	1